

# MARABU



MARABU - anthracite coated  
600 × 1233 mm



MARABU - chrome  
600 × 1815 mm

# MARABU



MARABU - claret coated - structural colour  
450 x 1233 mm





MARABU - white coated  
450 x 1815 mm

# MARABU

**Central heating: YES**  
**Combination heating: YES**  
**Electric heating: YES**  
**Horizontal tubes: 30 × 15 × 1,5 mm**  
**Vertical tubes: 41 × 35 × 1,5 mm**

**Connection options:**



Chrome**	White coated	Other surface finish (coated)*	Width (A) x Height (B) [mm]	HO [W] Δt 20°C***		Weight [kg]	Content [l]	Connection span (C) [mm]	Max. recommended electric heating element [W]
				75/65°C	55/45°C				
CM1	M1W	M1	450 × 783	275	143	6,1	3,4	405	200
CM2	M2W	M2	600 × 783	366	190	6,8	3,9	555	300
CM3	M3W	M3	450 × 1233	406	211	9,2	5,3	405	300
CM4	M4W	M4	600 × 1233	541	281	10,6	5,9	555	400
CM5	M5W	M5	450 × 1815	622	323	13,9	7,2	405	400
CM6	M6W	M6	600 × 1815	829	431	15,1	8,9	555	500

\*Other surface finishes see page 78. \*\*Heat output of chrome versions can be 20% lower.

\*\*\*Calculation of temperature gradients can be viewed on [www.pmh-co.cz](http://www.pmh-co.cz).